




S *SenDel*
Towable

For Whatever's Behind You

**2024 PRODUCT
OVERVIEW**

TOWABLE 101



FACTS ABOUT TORQUE

The torque that is to be applied to lug nuts on a typical aluminum trailer wheel varies with the size of the wheel studs on your trailer. Common size studs on a trailer often are 1/2", 9/16" or 5/8". To the right is a table to guide you as you are installing the wheels to your trailer application

Lug Size	FT/LBS Torque
1/2"	90-120
9/16"	120-140
5/8"	140-160

Being sure wheel mounting nuts(lug nuts) on trailer wheels are tight and properly torqued is an important responsibility that trailer owners and users need to be familiar with and practice. Inadequate and/or inappropriate wheel nut torque (tightness) is a major reason that lug nuts loosen in service. Loose lug nuts can rapidly lead to a wheel separation with potentially serious safety consequences.

We recommend the importance of re-torquing the lugs after the first 25-50 miles.

TRAILER TIRE AND WHEEL COMPATIBILITY TEST

Verify that the load capacity of the selected wheel is greater than the load capacity of the selected tire. If one of the two were to fail due to exceeded load capacity, you would much rather have the tire fail and ride on the rim rather than the entire assembly fail. Proper load capacity matching ensures safety and can save you money in the case of a failure.

Example: If your selected tire's load capacity is 1400 pounds, the wheel you select needs to exceed or equal 1400 pounds.

Tire and wheel assemblies shall be installed in accordance with ANSI TSIC-1 Recommended Practice.

The sum of the maximum load ratings of the tires fitted to an axle shall not be less than 110 percent of Gross Axle Weight Rating (GAWR) specified by the RV manufacturer as shown on the certification label.



Axle Capacity	3500# + 10% = (3850#)	4400# = 4840#	5200# = 5720#	6000# = 6600#	7000# = 7700#	8000# = 8800#
---------------	-----------------------	---------------	---------------	---------------	---------------	---------------

Minimum Tire & Wheel Capacity	1925#	2420#	2860#	3300#	3850#	4400#
-------------------------------	-------	-------	-------	-------	-------	-------

AXLE SPECIFICATIONS / CAPACITY

Axle Capacity	Wheel Size	Number Of Lugs	Wheel Capacity	Wheel Cap	Tire Capacity
3,000#	13X4.5/13X5	5	1,660LBS	ST175/80R13 LRD	1,610LBS
3,000#	15X6	5	2,200LBS	235/75R15	1,985LBS
3,500#	14X5.5	5	2,200LBS	ST205/75R14 LRD	2,040LBS
3,500#	15X5/15X6	5	2,200LBS	ST205/75R15 LRD	2,150LBS
3,500#	15X6	5	2,200LBS	ST235/75R15 LRC	2,420LBS
4,400#	15X6	6	2,860LBS	ST225/75R15 LRD	2,540LBS
4,400#	15X6	6	2,860LBS	ST225/75R15 LRE	2,860LBS
4,400#	15X6	6	2,860LBS	ST235/75R15 LRC	2,420LBS
5,200#	15X6	6	2,860LBS	ST225/75R15 LRE	2,860LBS
5,200#	15X6	6	2,860LBS	ST235/75R15 LRD	2,910LBS
6,000#	16X6	6	3,300LBS	LT245/75R16 LRE	3,042LBS
6,000#	16X6	6	3,300LBS	ST235/80R16 LRE	3,520LBS
6,000#	16X6	8	3,750-3,960LBS	ST235/80R16 LRE	3,520LBS
7,000#	16X6 16x6.5	8	3,960-4,400LBS	ST235/80R16 LRG	4,080LBS
7,000#	16X6 16x6.5	8	3,960-4,400LBS	ST235/85R16 LRF	3,960LBS
8,000#	16X6 16x6.5 16x7	8	4,400LBS	ST235/85R16 LRG	4,400LBS
8,000#	17.5X6.75	8	4,805-6,005LBS	215/75R17.5 LRH	4,805LBS

S20T



SILVER MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
S20-45545T-1	101078	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
S20-56545T-1	101079	S1050-319CCS	118536	15X6	5/5.00	+0	3.19	2200 LBS @ 80 PSI
S20-56550T-1	-	S1050-319CCS	118536	15X6	5/5.0	+0	3.19	2200 LBS @ 80 PSI
S20-56655T-2	101073	S1050-425CC	46879	15X6	6/5.50	+0	4.25	3200 LBS @ 95 PSI
S20-66655T-1	21700	S1050-425CC	46879	16X6	6/5.50	+0	4.25	3300 LBS @ 94 PSI
S20-66655T-3*	-	S1050-425CC	46879	16x6	6/5.50	+0	4.25	3750 LBS @ 110 PSI
S20-66866T-1	101074	S1050-490CCS	118549	16X6	8/6.50	+0	4.90	3960 LBS @ 110 PSI
S20-66867T*	-	S1050-490CCS	118549	16x6	8/6.50	+0	4.90	4400 LBS @ 110 PSI
S20-175675TS	-	S1050-490CCS	118549	17.5x6.75	8/6.50	+0	4.90	6050 LBS @ 130 PSI

* Available early 2024

S20TGB

NEW



GLOSS BLACK

ITEM NUMBER	PACKAGED WITH CAPS	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
S20-45545TGB	S1050-319BBS18	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
S20-56545TGB	S1050-319BBS18	15X6	5/4.50	+0	3.19	2200 LBS @ 80 PSI
S20-56550TGB	S1050-319BBS18	15X6	5/5.0	+0	3.19	2200 LBS @ 80 PSI
S20-56655TGB	S1050-425BBS18	15X6	6/5.50	+0	4.25	3200 LBS @ 95 PSI
S20-66655TGB	S1050-425BBS18	16X6	6/5.50	+0	4.25	3300 LBS @ 94 PSI
S20-66655TGB-1*	S1050-4325BBS18	16x6	6/5.50	+0	4.25	3750 LBS @ 110 PSI
S20-66866TGB	S1050-490BBS18	16X6	8/6.50	+0	4.90	3960 LBS @ 110 PSI
S20-66867TGB*	S1050-490BBS18	16x6	8/6.50	+0	4.90	4400 LBS @ 110 PSI
S20-175675TGBS	S1050-490BBS18	17.5x6.75	8/6.50	+0	4.90	6050 LBS @ 130 PSI

* Available early 2024

T02



SILVER MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T02-45545T	21701	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	1900 LBS @ 65 PSI
T02-56545T	21702	S1050-319CCS	118536	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T02-56655T-1	101075	S1050-425CC	46879	15X6	6/5.50	+0	4.25	3200 LBS @ 95 PSI
T02-66655T	21704	S1050-425CC	46879	16X6	6/5.50	+0	4.25	3200 LBS @ 94 PSI
T02-66867T	21705	S1050-490CCS	118549	16X6	8/6.50	+0	4.90	3750 LBS @ 110 PSI

T03



SILVER MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T03-45545T	21707	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	1900 LBS @ 65 PSI
T03-56545T	21709	S1050-319CCS	118536	15x6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T03-56655T-1	101077	S1050-425CC	46879	15x6	6/5.50	+0	4.25	3200 LBS @ 95 PSI
T03-66655T-1	101087	S1050-425CC	46879	16x6	6/5.50	+0	4.25	3200 LBS @ 80 PSI
T03-66866T	21714	S1050-490CCS	118549	16x6	8/6.50	+0	4.90	3580 LBS @ 94 PSI

T03



BLACK MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T03-45545BM	21706	S1050-319CCS	11536	14X5.5	5/4.50	+0	3.19	1900 LBS @ 65 PSI
T03-56545BM	21708	S1050-319CCS	11536	15x6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T03-56655BM-1	101076	S1050-425CC	46879	15x6	6/5.50	+0	4.25	3200 LBS @ 95 PSI
T03-66655BM-1	101088	S1050-425CC	46879	16x6	6/5.50	+0	4.25	3200 LBS @ 80 PSI
T03-66866BM	-	S1050-490CCS	118549	16x6	8/6.50	+0	4.90	3580 LBS @ 94 PSI

T07



GRAY MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T07-35545GM	-	S1050-319CCS	118536	13X5.5	5/4.50	+0	3.19	1660 LBS @ 65 PSI
T07-45545GM-1	101081	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
T07-56545GM	77865	S1050-319CCS	118536	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T07-56655GM	21730	S1050-375CCS	46877	15X6	6/5.50	+0	3.75	2860 LBS @ 80 PSI
T07-66655GM (8 SPOKE DESIGN)	-	S1050-375CCS	46877	16X6	6/5.50	+0	3.75	3200 LBS @ 80 PSI
T07-66867GM	77866	S1050-490CCS	118549	16X6	8/6.50	+0	4.90	3750 LBS @ 110 PSI

T07



BLACK MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T07-35545BM	77863	S1050-319CCS	118536	13X5.5	5/4.50	+0	3.19	1660 LBS @ 65 PSI
T07-45545BM-1	101080	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
T07-56545BM	21727	S1050-319CCS	118536	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T07-56550BM	-	S1050-319CCS	118536	15X6	5/5.00	+0	3.19	2150 LBS @ 80 PSI
T07-56655BM	21729	S1050-375CCS	46877	15X6	6/5.50	+0	3.75	2860 LBS @ 80 PSI
T07-66655BM (8 SPOKE DESIGN)	21731	S1050-375CCS	46877	16X6	6/5.50	+0	3.75	3200 LBS @ 80 PSI
T07-66867BM	21732	S1050-490CCS	118549	16X6	8/6.50	+0	4.90	3750 LBS @ 110 PSI
T07-89545BM	77864	S1050-319CCSLG	-	18X9	5/4.50	+10	3.19	2600 LBS @ 80 PSI

T08



MATTE BLACK

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T08-35545MB-1	-	S1050-319MMS	118538	13X5	5/4.50	+0	3.19	1660 LBS @ 65 PSI
T08-45545MB-1	77868	S1050-319MMS	118538	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
T08-56545MB-1	101084	S1050-319MMS	118538	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T08-56655MB-1	-	S1050-375MMS	118537	15X6	6/5.50	+0	3.75	2860 LBS @ 80 PSI
T08-66867MB	-	S1050-490MMS	118550	16X6	8/6.50	+0	4.90	3750 LBS @ 110 PSI

T08



MATTE BLACK MATT MACHINED LIP

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T08-35545MBML-1	77867	S1050-319MMS	118538	13X5	5/4.50	+0	3.19	1660 LBS @ 65 PSI
T08-45545MBML-1	101083	S1050-319MMS	118538	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
T08-56545MBML-1	21737	S1050-319MMS	118538	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T08-56655MBML-1	77871	S1050-375MMS	118537	15X6	6/5.50	+0	3.75	2860 LBS @ 80 PSI
T08-66867MBML	77873	S1050-490MMS	118550	16X6	8/6.50	+0	4.90	3750 LBS @ 110 PSI

T08



BLACK MACHINED LIP & SPOKE

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T08-35545BMLS-1	21733	S1050-319CCS	118536	13X5	5/4.50	+0	3.19	1660 LBS @ 65 PSI
T08-45545BMLS-1	101082	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
T08-56545BMLS-1	77869	S1050-319CCS	118536	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T08-56655BMLS-1	77870	S1050-375CCS	46877	15X6	6/5.50	+0	3.75	2860 LBS @ 80 PSI
T08-66867BMLS	77872	S1050-490CCS	118549	16X6	8/6.50	+0	4.90	3750 LBS @ 110 PSI

T09



BLACK MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T09-45545BM	21739	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
T09-56545BM	77875	S1050-319CCS	118536	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T09-56655BM	21793	S1050-375CCS	46877	15X6	6/5.50	+0	3.75	3200 LBS @ 80 PSI

T09



SILVER MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T09-45545SM	77874	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	2200 LBS @ 75 PSI
T09-56545SM	21792	S1050-319CCS	118536	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI
T09-56655SM	77876	S1050-375CCS	46877	15X6	6/5.50	+0	3.75	3200 LBS @ 80 PSI

S37



MATTE BLACK

ITEM NUMBER	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
S37-79657310BM	17x9.0	5x114.3 / 5x127.0	+10	78.10	2200 LBS
S37-89657310BM	18X9.0	5x114.3 / 5x127.0	+10	78.10	2200 LBS

T10



SILVER MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T10-45545SM-1	77877	S1050-319CCS	118536	14x5.5	5/4.50 (5/114.3)	+0	3.19	2200 LBS @ 65 PSI
T10-56545SM-1	77878	S1050-319CCS	118536	15X6	5/4.50 (5/114.3)	+0	3.19	2150 LBS @ 80 PSI

T10



BLACK MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T10-45545BM-1	101085	S1050-319CCS	118536	14X5.5	5/4.50	+0	3.19	2200 LBS @ 65 PSI
T10-56545BM-1	101086	S1050-319CCS	118536	15X6	5/4.50	+0	3.19	2150 LBS @ 80 PSI

T16



BLACK MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T16-45545BM	77880	S1050-319CCS	118536	14X5.5	5X4.5	+0	3.19	2200 LBS @ 80 PSI
T16-56545BM	77893	S1050-319CCS	118536	15X6	5X4.5	+0	3.19	3200 LBS @ 95 PSI
T16-56550BM	77895	S1050-319CCS	118536	15X6	5X5.0	+0	3.19	3200 LBS @ 95 PSI
T16-56655BM	77897	S1050-375CCS	46877	15X6	6X5.5	+0	3.75	3200 LBS @ 95 PSI
T16-665655BM	77899	S1050-375CCS	46877	16X6.5	6X5.5	+0	3.75	3750 LBS @ 110 PSI
T16-665867BM	77901	S1050-490CCS	118549	16X6.5	8X6.5	+0	4.90	4400 LBS @ 110 PSI

T16



MATTE BLACK

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T16-45545MB	77892	S1050-319MMS	118538	14X5.5	5X4.5	+0	3.19	2200 LBS @ 80 PSI
T16-56545MB	77894	S1050-319MMS	118538	15X6	5X4.5	+0	3.19	3200 LBS @ 95 PSI
T16-56550MB	77896	S1050-319MMS	118538	15X6	5X5.0	+0	3.19	3200 LBS @ 95 PSI
T16-56655MB	77898	S1050-375MMS	118537	15X6	6X5.5	+0	3.75	3200 LBS @ 95 PSI
T16-665655MB	77900	S1050-375MMS	118537	16X6.5	6X5.5	+0	3.75	3750 LBS @ 110 PSI
T16-665867MB	77902	S1050-490MMS	118550	16X6.5	8X6.5	+0	4.90	4400 LBS @ 110 PSI

T17



MATTE BLACK

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T17-35545MB	101012	S1050-319MMS	118538	13X5	5/4.5	+0	3.19	1660 LBS @ 65 PSI
T17-45545MB	101013	S1050-319MMS	118538	14X5.5	5/4.5	+0	3.19	2200 LBS @ 80 PSI
T17-56545MB	101014	S1050-319MMS	118538	15X6	5/4.5	+0	3.19	3200 LBS @ 95 PSI
T17-56550MB	101015	S1050-319MMS	118538	15X6	5/5.0	+0	3.19	3200 LBS @ 95 PSI
T17-56655MB	101016	S1050-375MMS	118537	15X6	6/5.5	+0	3.75	3200 LBS @ 95 PSI
T17-67655MB	101017	S1050-375MMS	118537	16X7	6/5.5	+0	3.75	3750 LBS @ 110 PSI
T17-67867MB	101018	S1050-490MMS	118550	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

T17



BLACK MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T17-35545BM	101019	S1050-319BBS	118536	13X5	5/4.5	+0	3.19	1660 LBS @ 65 PSI
T17-45545BM	101020	S1050-319BBS	118536	14X5.5	5/4.5	+0	3.19	2200 LBS @ 80 PSI
T17-56545BM	101021	S1050-319BBS	118536	15X6	5/4.5	+0	3.19	3200 LBS @ 95 PSI
T17-56550BM	101022	S1050-319BBS	118536	15X6	5/5.0	+0	3.19	3200 LBS @ 95 PSI
T17-56655BM	101023	S1050-375BBS	46877	15X6	6/5.5	+0	3.75	3200 LBS @ 95 PSI
T17-67655BM	101024	S1050-375BBS	46877	16X7	6/5.5	+0	3.75	3750 LBS @ 110 PSI
T17-67867BM	101025	S1050-490BBS	118549	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

T17



SILVER MACHINED

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T17-35545SM	101026	S1050-319CCS	DTC 118536	13X5	5/4.5	+0	3.19	1660 LBS @ 65 PSI
T17-45545SM	101027	S1050-319CCS	DTC 118536	14X5.5	5/4.5	+0	3.19	2200 LBS @ 80 PSI
T17-56545SM	101028	S1050-319CCS	DTC 118536	15X6	5/4.5	+0	3.19	3200 LBS @ 95 PSI
T17-56550SM	101029	S1050-319CCS	DTC 118536	15X6	5/5.0	+0	3.19	3200 LBS @ 95 PSI
T17-56655SM	101030	S1050-375CCS	DTC 46877	15X6	6/5.5	+0	3.75	3200 LBS @ 95 PSI
T17-67655SM	101031	S1050-375CCS	DTC 46877	16X7	6/5.5	+0	3.75	3750 LBS @ 110 PSI
T17-67867SM	101032	S1050-490CCS	DTC 118549	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

T17



MATTE GOLD

ITEM NUMBER	DTC ARTICLE #	OPTIONAL CENTER CAP	DTC ARTICLE # (CENTER CAP)	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T17-35545MC	101005	S1050-319CCS	DTC 118536	13X5	5/4.5	+0	3.19	1660 LBS @ 65 PSI
T17-45545MC	101006	S1050-319CCS	DTC 118536	14X5.5	5/4.5	+0	3.19	2200 LBS @ 80 PSI
T17-56545MC	101007	S1050-319CCS	DTC 118536	15X6	5/4.5	+0	3.19	3200 LBS @ 95 PSI
T17-56550MC	101008	S1050-319CCS	DTC 118536	15X6	5/5.0	+0	3.19	3200 LBS @ 95 PSI
T17-56655MC	101009	S1050-375CCS	DTC 46877	15X6	6/5.5	+0	3.75	3200 LBS @ 95 PSI
T17-67655MC	101010	S1050-375CCS	DTC 46877	16X7	6/5.5	+0	3.75	3750 LBS @ 110 PSI
T17-67867MC	101011	S1050-490CCS	DTC 118549	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

T18



MATTE BLACK

ITEM NUMBER	DTC ARTICLE #	PACKAGED WITH CAPS	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T18-45545MB	132980	S1050-319MMS18	14X5.5	5X4.5	+0	3.19	2200 LBS @ 80 PSI
T18-56545MB	133260	S1050-319MMS18	15X6	5X4.5	+0	3.19	3200 LBS @ 95 PSI
T18-56550MB	133268	S1050-319MMS18	15X6	5X5	+0	3.19	3200 LBS @ 95 PSI
T18-56655MB	133258	S1050-375MMS18	15X6	6X5.5	+0	3.75	3200 LBS @ 95 PSI
T18-67655MB	132984	S1050-375MMS18	16X7	6X5	+0	3.75	3750 LBS @ 110 PSI
T18-67867MB	132977	S1050-490MMS18	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

Caps Included

T18



GUNMETAL MILLED

ITEM NUMBER	DTC ARTICLE #	PACKAGED WITH CAPS	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T18-45545GM	132978	S1050-319CCS18	14X5.5	5X4.5	+0	3.19	2200 LBS @ 80 PSI
T18-56545GM	132976	S1050-319CCS18	15X6	5X4.5	+0	3.19	3200 LBS @ 95 PSI
T18-56550GM	133255	S1050-319CCS18	15X6	5X5	+0	3.19	3200 LBS @ 95 PSI
T18-56655GM	133259	S1050-375CCS18	15X6	6X5.5	+0	3.75	3200 LBS @ 95 PSI
T18-67655GM	133265	S1050-375CCS18	16X7	6X5	+0	3.75	3750 LBS @ 110 PSI
T18-67867GM	133262	S1050-490CCS18	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

Caps Included

T18



MATTE BLACK MACHINED LIP

ITEM NUMBER	DTC ARTICLE #	PACKAGED WITH CAPS	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T18-45545MBML	132979	S1050-319MMS18	14X5.5	5X4.5	+0	3.19	2200 LBS @ 80 PSI
T18-56545MBML	132257	S1050-319MMS18	15X6	5X4.5	+0	3.19	3200 LBS @ 95 PSI
T18-56550MBML	133266	S1050-319MMS18	15X6	5X5	+0	3.19	3200 LBS @ 95 PSI
T18-56655MBML	133264	S1050-375MMS18	15X6	6X5.5	+0	3.75	3200 LBS @ 95 PSI
T18-67655MBML	133263	S1050-375MMS18	16X7	6X5	+0	3.75	3750 LBS @ 110 PSI
T18-67867MBML	132982	S1050-490MMS18	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

Caps Included

T18



GLOSS BLACK

ITEM NUMBER	DTC ARTICLE #	PACKAGED WITH CAPS	SIZE	BOLT CIRCLE	OFF SET	CENTER BORE	LOAD RATING
T18-45545GB	132983	S1050-319BBS18	14X5.5	5X4.5	+0	3.19	2200 LBS @ 80 PSI
T18-56545GB	132981	S1050-319BBS18	15X6	5X4.5	+0	3.19	3200 LBS @ 95 PSI
T18-56550GB	133256	S1050-319BBS18	15X6	5X5	+0	3.19	3200 LBS @ 95 PSI
T18-56655GB	133269	S1050-375BBS18	15X6	6X5.5	+0	3.75	3200 LBS @ 95 PSI
T18-67655GB	133267	S1050-375BBS18	16X7	6X5	+0	3.75	3750 LBS @ 110 PSI
T18-67867GB	133261	S1050-490BBS18	16X7	8X6.5	+0	4.90	4400 LBS @ 110 PSI

Caps Included

SPECIALTY EZ LUBE CAPS



CHROME CAP /
BLACK PLUG

ITEM NUMBER	DTC ARTICLE #	SIZE	BOLT CIRCLE	LOGO
S1050-319CBS	118534	3.19"	All 5 Lug wheels	Yes
S1050-319CB	118535	3.19"	All 5 Lug wheels	No
S1050-375CBS	118540	3.75"	Most 6 Lug wheels	Yes
S1050-425CB	118544	4.25"	6 Lug, S20 TO2 TO3	No
S1050-490CB	118547	4.90"	All 8 Lug wheels	No



CHROME CAP /
CHROME PLUG

ITEM NUMBER	DTC ARTICLE #	SIZE	BOLT CIRCLE	LOGO
S1050-319CCS	118536	3.19"	All 5 Lug wheels	Yes
S1050-375CCS	46877	3.75"	Most 6 Lug wheels	Yes
S1050-425CC	46879	4.25"	6 Lug, S20 TO2 TO3	No
S1050-490CCS	118549	4.90"	All 8 Lug wheels	Yes
S1050-490CC	SB 118549	4.90"	All 8 Lug wheels	No

ITEM NUMBER	DTC ARTICLE #	SIZE	BOLT CIRCLE	LOGO
S1050-319CCSLG	118539	3.19"	All 5 Lug wheels	Yes

SPECIALTY EZ LUBE CAPS



BLACK CAP /
BLACK PLUG

ITEM NUMBER	DTC ARTICLE #	SIZE	BOLT CIRCLE	LOGO
S1050-319BBS	118476	3.19"	All 5 Lug wheels	Yes
S1050-319BB	46698	3.19"	All 5 Lug wheels	No
S1050-319MMS	118538	3.19"	All 5 Lug wheels	Yes
S1050-319MM	118538	3.19"	All 5 Lug wheels	No
S1050-375BBS	46876	3.75"	Most 6 Lug wheels	Yes
S1050-375BB	46876	3.75"	Most 6 Lug wheels	No
S1050-375MMS	118537	3.75"	Most 6 Lug wheels	Yes
S1050-425BBS	118543	4.25"	6 Lug, S20 TO2 TO3	Yes
S1050-425BB	118543	4.25"	6 Lug, S20 TO2 TO3	No
S1050-490BBS	118546	4.90"	All 8 Lug wheels	Yes

MM = Matte black | MMS = Matte black w/ logo

SPECIALTY EZ LUBE CAPS

OPTIONAL T18 CAPS



GLOSS BLACK CAP



MATTE BLACK CAP



CHROME CAP

ITEM NUMBER	SIZE	BOLT CIRCLE	CAP BASE	CAP PLUG	LOGO
S1050-319CCS18	3.19"	All 5 Lugs	Chrome	Chrome	Yes
S1050-375CCS18	3.75"	All 6 Lugs T18's	Chrome	Chrome	Yes
S1050-490CCS18	4.90"	All 8 Lugs T18's	Chrome	Chrome	Yes
S1050-319BBS18	3.19"	All 5 Lugs	Gloss Black	Gloss Black	Yes
S1050-375BBS18	3.75"	All 6 Lugs T18's	Gloss Black	Gloss Black	Yes
S1050-490BBS18	4.90"	All 8 Lugs T18's	Gloss Black	Gloss Black	Yes
S1050-319MMS18	3.19"	All 5 Lugs	Matte Black	Matte Black	Yes
S1050-375MMS18	3.75"	All 6 Lugs T18's	Matte Black	Matte Black	Yes
S1050-490MMS18	4.90"	All 8 Lugs T18's	Matte Black	Matte Black	Yes

THANK YOU